



**Exhibit G**

**AGENDA ITEM STAFF ANALYSIS**

**Project/Issue Name:** Resolution #16-R-67 A Resolution of the City Council of the City of Republic, Missouri, Approving the Purchase of Two (2) International Model 7300 SBA Service Trucks for the Water and Wastewater Divisions of Public Works.

**Submitted By:** David Brock, Public Works Director

**Date:** August 22, 2016

**Issue Statement**

The approval of the purchase of two service trucks using a State of Missouri cooperative price agreement.

**Discussion and/or Analysis**

The Water and Wastewater Division’s 2016 budget appropriated funds to replace a 2006 F-550 service truck (Wastewater) and a 2000 Chevy 1-ton service truck (Water). The proposed replacement vehicles are both 2017 International 2- ton cab and chassis with heavy duty service bodies. The service bodies include live hydraulics, a built in air compressor with hose reel and are size/equipped to tow a sewer jet or trailered backhoe. The Wastewater truck includes a hydraulic crane package for pulling/replacing pumps and the new crane provides an additional six feet of extension and 1,500 lbs. of lifting capacity as compared to the existing service truck. The new utility bodies double the storage capacity for parts and tools over the existing trucks.



The divisions can make this purchase at a substantial savings through the Missouri State Bid and Purchasing Agreement program. International Trucking has submitted proposals based on an extended 2014 MoDOT pricing proposal at a cost of \$130,150.00 for the Wastewater Division truck and \$98,361.00 for the Water Division truck. The 2016 budget plan called for the financing of these vehicles over a three year period; it is unlikely the trucks will be built and delivered by the year end and this financing strategy will need to be replicated for 2017.

**Recommended Action**

Public Works Director David Brock recommends adoption of Resolution #16-R-67 approving the purchase of two service trucks for the Water and Wastewater divisions from International Truck and Engine Corporation.

**A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF REPUBLIC, MISSOURI,  
APPROVING THE PURCHASE OF TWO (2) INTERNATIONAL MODEL 7300 SBA  
SERVICE TRUCKS FOR THE WATER AND WASTEWATER DIVISIONS  
OF PUBLIC WORKS**

**WHEREAS**, the City of Republic, Missouri, (herein called the "City") is a municipal corporation and Charter City located in Greene County, Missouri, being duly created, organized and existing under the laws of the State of Missouri; and

**WHEREAS**, the City desires to acquire two new service trucks to fill the needs of the Water and Wastewater Divisions; and

**WHEREAS**, International Truck and Engine Corporation has submitted proposals for two equipped trucks, meeting the standards, specifications and pricing of a competitive and sealed bid process conducted by the Missouri Department of Transportation (Request No. 3-140214RJ), and the Council desires to accept said proposal under the provisions of the State Cooperative Purchasing Agreement;

**NOW THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF REPUBLIC, MISSOURI, AS FOLLOWS:**

Section 1. That the purchase of two (2) International Model 7300 SBA Service Trucks from International Truck and Engine Corporation, equipped as illustrated on the proposals attached hereto and incorporated herein, is approved at a price not to exceed \$130,150.00 for the Wastewater Division service truck and a price not to exceed \$98,361.00 for the Water Division service truck.


**PASSED AND APPROVED** at a regular meeting of the City Council of the City of Republic, Missouri, this 22<sup>nd</sup> day of August 2016.

\_\_\_\_\_  
Brian C. Buckner, Mayor

Attest:

\_\_\_\_\_  
Brenda L. Jackson, City Clerk

Approved as to Form: \_\_\_\_\_




\_\_\_\_\_, City Attorney

Final Passage and Vote: \_\_\_\_\_

**Prepared For:**  
Republic city of  
Public works Dept of  
213 N Main Ave.  
Republic, MO 65738-1472  
(417)732 - 3140  
Reference ID: N/A

**Presented By:**  
INT'L TRK & ENGINE CORP  
Martin White  
900 S HIGHWAY DR STE 103  
FENTON MO 63026 -  
(636)343-6800

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



**Model Profile**  
**2017 7300 SBA 4X2 (SA615)**

<b>APPLICATION:</b>	Service Body
<b>MISSION:</b>	Requested GVWR: 33000. Calc. GVWR: 33000 Calc. Start / Grade Ability: 24.74% / 1.80% @ 55 MPH Calc. Geared Speed: 88.1 MPH
<b>DIMENSION:</b>	Wheelbase: 187.00, CA: 119.90, Axle to Frame: 43.00
<b>ENGINE, DIESEL:</b>	{Cummins ISB 300} EPA 2010, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 300 Peak HP (Max)
<b>TRANSMISSION, AUTOMATIC:</b>	{Allison 2500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, with Double Overdrive; with PTO Provision, Less Retarder, with 33,000-lb GVW & GCW Max
<b>CLUTCH:</b>	Omit Item (Clutch & Control)
<b>AXLE, FRONT NON-DRIVING:</b>	{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
<b>AXLE, REAR, SINGLE:</b>	{Meritor MS-21-14X-4DFR} Single Reduction, 21,000-lb Capacity, R Wheel Ends Gear Ratio: 5.57
<b>CAB:</b>	Conventional
<b>TIRE, FRONT:</b>	(2) 11R22.5 HSR2 (CONTINENTAL) 498 rev/mile, load range G, 14 ply
<b>TIRE, REAR:</b>	(4) 11R22.5 G622 RSD (GOODYEAR) 497 rev/mile, load range G, 14 ply
<b>SUSPENSION, RR, SPRING, SINGLE:</b>	Vari-Rate; 23,500-lb Capacity
<b>PAINT:</b>	Cab schematic 100GN Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
SA61500	Base Chassis, Model 7300 SBA 4X2 with 187.00 Wheelbase, 119.90 CA, and 43.00 Axle to Frame.	\$79,962.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	\$983.00
1LLK	BUMPER, FRONT Omit Item	(\$30.00)
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	\$590.00
1WGR	WHEELBASE RANGE 138" (350cm) Through and Including 187" (475cm)	\$0.00
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity	\$57.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers	\$67.00
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free	
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4	
	<u>Notes</u> : Rear Axle Is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.	
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck	\$317.00
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	\$0.00
	<u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	\$0.00
4EBT	AIR DRYER {Bendix AD-IP} With Heater	\$526.00
	<u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab	
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn	\$0.00

**INTERNATIONAL****Vehicle Specifications  
2017 7300 SBA 4X2 (SA615)**

August 10, 2016

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake	\$0.00
4JCG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. in. Long Stroke Brake Chambers	\$0.00
	<u>Notes</u> : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM. : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	\$97.00
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	\$97.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.in. Long Stroke Brake Chamber and Spring Actuated Parking Brake	\$0.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM Capacity	\$0.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Brakes	\$35.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Brakes	\$70.00
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Frame Rail, Front of Rear Suspension, Parallel to Rail	\$288.00
5708	STEERING COLUMN Tilting	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black	\$0.00
5PSA	STEERING GEAR (Sheppard M100) Power	\$0.00
7BEP	EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	\$2,051.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER includes Ash Cup	\$18.00

**INTERNATIONAL****Vehicle Specifications  
2017 7300 SBA 4X2 (SA615)**

August 10, 2016

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
8GXD	ALTERNATOR (Leece-Neville AV1160P2013) Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense	\$0.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	\$100.00
8HAG	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	\$363.00
8MKL	BATTERY SYSTEM (International) Maintenance-Free, (3) 12-Volt 1950CCA Total	\$103.00
8RKB	RADIO (Panasonic CQ120) AM/FM, Includes Multiple Speakers, Includes Auxiliary Input  <u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior	\$305.00
8THB	BACK-UP ALARM Electric, 102 dBA	\$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	\$158.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; With 30 Amp Fuse and Relay, Controlled by Ignition Switch	\$79.00
8VAY	HORN, ELECTRIC Disc Style	\$0.00
8VZR	SWITCH, BODY CIRCUITS, MID for Bodybuilder, 6 Momentary Switches in Instrument Panel; One Power Module with 6 Channels, 20 Amp Max. Per Channel, 80 Amp Max Output, Switches Control Power Module Through Multiplex Wiring, Mounted in Cab Behind Driver Seat	\$578.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	\$94.00
8WGC	SOLENOID, AIR for Customer Use; Provides (3) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position  <u>Notes</u> : To Be Used as a Pilot Air and NOT as an Air Supply.	\$207.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	\$26.00
8WMA	SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light	\$42.00
8WPH	CLEARANCE/MARKER LIGHTS (5) (Truck Lite) Amber LED Lights, Flush Mounted on Cab or Sunshade	\$0.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$22.00
8WTK	STARTING MOTOR (Delco Remy 38MT Type 300) 12 Volt; less Thermal Over-Crank Protection	\$0.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	\$99.00

**INTERNATIONAL****Vehicle Specifications  
2017 7300 SBA 4X2 (SA615)**

August 10, 2016

<u>Code</u>	<u>Description</u>	<u>List (US DOLLAR)</u>
8XDU	BATTERY BOX Steel, With Aluminum Cover, 14" Wide, 3 Battery Capacity, Mounted Left Side Under Cab	\$461.00
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	\$0.00
9HBM	GRILLE Stationary, Chrome	\$0.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 & 2010 Emissions	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GN"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/ISL Engines	\$88.00
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	\$353.00
12EEW	ENGINE, DIESEL {Cummins ISB 300} EPA 2010, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 300 Peak HP (Max)	\$3,988.00
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed	\$0.00
	<u>Includes</u> : FAN Nylon	
12UPB	FEDERAL EMISSIONS {Cummins ISB} EPA, OBD and GHG Certified for Calendar Year 2016	\$350.00
12UWZ	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core With Internal Water to Oil Transmission Cooler and 1167 In Charge Air Cooler	\$0.00
	<u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
12VBB	AIR CLEANER Dual Element	\$59.00
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations	\$0.00
12XAT	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for Cummins ISB or ISL Engines	\$45.00
13ATH	TRANSMISSION, AUTOMATIC {Allison 2500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, with Double Overdrive; with PTO Provision, Less Retarder, with 33,000-lb GVW & GCW Max	\$3,984.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
	<u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	
13WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints	\$151.00
13WYY	SHIFT CONTROL PARAMETERS Allison 1000 or 2000 Series Transmissions, 5th Generation Controls, Performance Programming	\$0.00
13XAL	PTO LOCATION Left Side of Transmission	\$0.00
14ANV	AXLE, REAR, SINGLE {Meritor MS-21-14X-4DFR} Single Reduction, 21,000-lb Capacity, R Wheel Ends . Gear Ratio: 5.57	\$79.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
14SAN	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity	\$87.00
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
14SZB	SPRINGS, REAR AUXILIARY Multileaf; 4,500-lb Capacity	\$120.00
15LMS	FUEL/WATER SEPARATOR Cummins Supplied on Engine, with 12 Volt DC Heater, with Water-in-Fuel Sensor	\$421.00
15SXJ	FUEL TANK Top Draw; Non-Polished Aluminum, 24" Diam., 50 U.S. Gal., 189 L Capacity, Mounted Left Side Under Cab	\$0.00
15WCN	DEF TANK 5 U.S. Gal. Capacity; Frame Mounted Outside Left Rail, Under Cab	\$0.00
16030	CAB Conventional	\$0.00
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door	
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16HLJ	GAUGE, DEF FLUID LEVEL	\$0.00

## INTERNATIONAL\*

Vehicle Specifications  
2017 7300 SBA 4X2 (SA615)

August 10, 2016

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust  <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	\$116.00
16SDT	MIRRORS (2) {Lang Mekra} Styled; Rectangular, Power Both Sides Flat Glass Only, Thermostatically Controlled Heated Heads, Clearance Lights LED, Black Heads, Brackets and Arms, Breakaway Type, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing	\$542.00
16SMN	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	\$288.00
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster  <u>Includes</u> : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A	\$823.00
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	\$0.00
16WKY	HVAC FRESH AIR FILTER	\$0.00
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	\$25.00
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	\$76.00
16WRX	CAB INTERIOR TRIM Deluxe  <u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	\$0.00
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
27DTH	WHEELS, FRONT {Maxion 10049} DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs	\$198.00
28DTH	WHEELS, REAR {Maxion 10049} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs	\$349.00
29PAR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; With Vendor Applied White Powder Coat Paint	\$24.00
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied White Powder Coat Paint	\$48.00

**INTERNATIONAL'**

Vehicle Specifications  
2017 7300 SBA 4X2 (SA615)

August 10, 2016

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	\$24.00
29WAR	WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels	\$24.00
7372135415	(2) TIRE, FRONT 11R22.5 HSR2 (CONTINENTAL) 498 rev/mile, load range G, 14 ply	\$0.00
7372138102	(4) TIRE, REAR 11R22.5 G622 RSD (GOODYEAR) 497 rev/mile, load range G, 14 ply	\$452.00
	<b>Total of Product Features</b>	<b>\$100,724.00</b>
	Cab schematic 100GN	
	Location 1: 9219, Winter White (Std)	
	Chassis schematic N/A	
	<b>Services Section:</b>	
40115	WARRANTY Standard for WorkStar 7300/7400 (4x2, 4x4, 6x4, 6x6), Effective with Vehicles Built January 2, 2015 or Later, CTS-2002U	\$0.00
	<b>Total of Service Features</b>	<b>\$0.00</b>
	<b>Total List Price Including Options:</b>	<b>\$100,724.00</b>
1	Viking Master Mechanic Heavy Duty Service Body # 162787	\$69,779.00
	<b>Total Body Allied:</b>	<b>\$69,779.00</b>

**INTERNATIONAL\***

**Financial Summary**  
**2017 7300 SBA 4X2 (SA615)**

August 10, 2016

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Net Sales Price:		\$130,150.00
Memo Item(s):		
Total Federal Excise Tax	\$0.00	
Total Taxes:	\$0.00	
Warranty:	\$0.00	
Body/Allied Equipment:	\$69,779.00	

Note: Memo item(s) shown here are included in the above Net Sales Price.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

**Approved by Seller:**

**Accepted by Purchaser:**

\_\_\_\_\_  
Official Title and Date

\_\_\_\_\_  
Firm or Business Name

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Authorized Signature and Date

**This proposal is not binding upon the seller without Seller's Authorized Signature**

\_\_\_\_\_  
Official Title and Date

**The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.**



22956 Hwy 61  
 PO Box 295  
 Morley, MO 63767  
 Phone: 573-262-3545  
 Fax: 573-262-3369

# Quote

Quote #	Date
162767	07/27/16

Customer		
INTERNATIONAL TRUCK & ENGINE - NAVISTAR		
900 S. HWY DRIVE		
SUITE 103		
FENTON	MO	63026

Ship To		
CITY OF REPUBLIC		
PUBLIC WORKS DEPARTMENT		
221 NORTH MAIN		
REPUBLIC	MO	65738

Customer PO	Terms	Sales Rep	Lead Time	Ship Via	FOB	VIN
	Net 30	DARYL	07/27/16	VCM	OAK GROVE	

Item	Description	Ordered	UOM	Price Per	Total Price
MO35BASEPKG	<p>MoDOT Heavy Duty Truck package for 35,000 GVW Truck</p> <p>Truck provided back up alarm, 7 pole ABS light plug, and air lines to the rear, Diamond logic with chassis provide RPM</p> <p>Viking-Cives 10' Heavy Duty Western Style dump body without cross members. All equipment installed and fully operational with all parts to make a complete Heavy Duty Truck.</p>	1.00	EA	44,614.00	44,614.00
ACCOUNT:5104-02 Direct Purchase	<p>In lieu of Mo-Dot package: Master mechanic heavy duty service body for 120" CA truck. 96" overall width. 60" tall body Front compartment 60" x 64" x 26" deep 2nd compartment 60"x 29" x 22" deep 50" wide vertical compartment. Rear compartment 50" x 22" deep. Treadplate top and back of compartments, floor and front body panel. 24" Workbench bumper. Interior and exterior worklights. Floor tie downs. Painted white. 2 1/2" receiver tube. Standard adjustable shelf package. Bottle holders. 7 drawer unit. 45cfm rotary screw air compressor with air filter, oil/water separator and oil filter. Air tank. Hose reel with 3/8" x 50' hose. Direct mount PTO, pump, 40 gallon oil reservoir and strainer for hydraulic compressor. LED Strobe lights. (2) front grill, (2) rear of body. Hydraulic outriggers (In/out) (up/down). Hydraulic crane package Model10621 telescopic.</p>	1.00	EA	24,665.00	24,665.00

Prepared By: dhay@vikingcivemidwest.com

Memo:

Customer must fill out the information below before the order can be processed

Accepted by: \_\_\_\_\_ Date: \_\_\_\_\_ P.O.#: \_\_\_\_\_

*\*Quoted price does not include any applicable taxes.*

*\*Terms are Due Upon Receipt unless prior credit*

*\*Terms for established accounts. NET 30 days*

*\*Please note if chassis is furnished. it is as a convenience and terms are Net Due on Receipt of Chassis*

Sub-Total	69,279.00
Shipping	500.000
Discount	0.00
Taxes	0.00
Total	69,779.00